

INDEX MAPS.

**T. 6 N, R. 5 E. 2<sup>nd</sup> Mer.**

	259	259	258	258	257	257						
261	6	279	5	276	4	272	3	268	2	264	1	257
	280	279	275	272	268	264						
261	7	279	8	275	9	271	10	268	11	264	12	256
	280	278	275	271	267	264						
260	18	278	17	274	16	271	15	267	14	263	13	256
	281	278	274	270	267	263						
260	19	277	20	274	21	270	22	266	23	263	24	256
	281	277	273	270	266	262						
260	30	277	29	273	28	269	27	265	26	262	25	255
	281	276	273	269	265	262						
259	31	276	32	272	33	269	34	265	35	261	36	255
	253-254	253-254	253-254	253-254	253-254	253-254	253-254	253-254	253-254	253-254	253-254	253-254

**T. 7 N, R. 5 E. 2<sup>nd</sup> Mer.**

	287	288	288	288-289	289	289-290						
292	6	310	5	306	4	303	3	299	2	296	1	287
	310	309	306	303	299	295						
291	7	309	8	306	9	302	10	299	11	295	12	286
	310	309	305	302	299	294						
291	18	309	17	305	16	302	15	298	14	294	13	286
	311	308	305	301	298	294						
291	19	308	20	305	21	301	22	297	23	293	24	286
	311	308	304	301	297	293						
290	30	307	29	304	28	300	27	297	26	295	25	285
	311	307	304	300	297	292						
290	31	307	32	303	33	300	34	296	35	292	36	285
	284	284	284	283	283	283	283	283	283	283	283	283

The figures on the lines refer to the page.

Township N. 7 North, Range N. 3 East T. Mer. Indiana

South Boundary

West On S. boundary of Sec. 36, T. 7 N. R. 3 E.  
 10.00 a Brook 3 1/2 hrs. wide Course S.  
 17.80 a Poplar 36 in. dia.  
 31.00 a Creek 50 hrs. wide Course S.  
 35.00 kept Creek  
 40.00 Let the q. Sec. post, from which  
 a Beech 18 in. dia. bear N 65 E 26 hrs. dist. of  
 a Do 18 " " " S 86 W 30 " "  
 80.00 Let a post Cor. to Sec. 35 of 36, from which  
 a W. Oak 16 in. dia. bear N 30 E 12 hrs. dist. of  
 a Do 12 " " " S 83 W 47 " "  
 Hilly poor land timber Beech, Oak &c.

West On S. boundary of Sec. 35, T. 7 N. R. 3 E.  
 5.50 a Brook 5 hrs. wide Cr. S.  
 37.00 a Do 5 " " " S. E.  
 40.00 Let the q. post, from which  
 a Gum 30 in. dia. bear N 42 W 11 hrs. dist. of  
 a Beech 8 " " " N 89 E 29 " "  
 80.00 Let a post Cor. to Sec. 34 of 35, from which  
 a W. Oak 12 in. dia. bear N 40 W 17 hrs. dist. of  
 a Gum 16 " " " N 35 E 28 hrs. "  
 Hilly Stony & poor timber Oak, Chestnut &c.

West On S. boundary of Sec. 34, T. 7 N. R. 3 E.  
 26.00 a Brook 3 1/2 hrs. wide Course S.  
 40.00 Let the q. Sec. post, from which  
 a Chestnut Oak 12 in. dia. bear N 64 E 8 hrs. dist. of  
 a Do 14 " " " S 30 W 19 " "  
 49.00 a Brook 4 hrs. wide Cr. S.  
 50.00 a W. Oak 16 in. dia.  
 72.00 a Brook 3 1/2 hrs. wide Course South

T<sup>y</sup>N. R<sup>3</sup>E. 2<sup>nd</sup> Mer. Indiana

80.00 Set a post Cor. to Sec. 33 & 34, from which  
 a W. Oak 8 in. dia. bray N 89 W 24 lks. dist. of  
 at B. Oak 24 " " " N 61 E 30 " "  
 Sand timber &c. same as on the last mile

West On S. boundary of Sec. 33, T<sup>y</sup>N. R<sup>3</sup>E.

30.00 a Brook 3 lks. wide Course S.

35.00 a Do 3 " " " S.

40.00 Set the q. Sec. post, from which  
 a W. Oak 14 in. dia. bray N 42 E 4 lks. dist. of  
 a Do 14 " " " N 39 W 12 " "

50.00 at Brook 3 lks. wide Course S.

80.00 Set a post Cor. to Sec. 32 & 33, from which  
 a Beech 18 in. dia. bray N 65 E 5 3 lks. dist. of  
 a Do 18 " " " N 80 W 45 " "  
 Sand timber &c. same as on the last mile

West On S. boundary of Sec. 32, T<sup>y</sup>N. R<sup>3</sup>E.

1.00 at Brook 4 lks. wide Course S.

24.00 a Do 4 " " " S.

28.00 a Do 3 " " " S.

40.00 Set the q. Sec. post, from which  
 a W. Oak 8 in. dia. bray N 44 E 13 lks. dist. of  
 at Beech 8 " " " N 85 W 16 " "

65.00 a Brook 5 lks. wide Ct. E.

80.00 Set a post Cor. to Sec. 31 & 32, from which  
 a Maple 18 in. dia. bray N 33 W 7 lks. dist. of  
 a B. Oak 8 " " " S 57 E 13 " "  
 Level Beech land - 1 <sup>1</sup>/<sub>4</sub> stony oak land

West On S. boundary of Sec. 31, T<sup>y</sup>N. R<sup>3</sup>E.

18.00 a Creek 100 lks. wide Ct. st.

40.00 Set the q. Sec. post, from which

Ty N R 3 E T. Mer. Indiana

a W. Oak 12 in. dia. bray N 43 E. 20 lks. dist. of  
 a Beech 12 " " " N 60 W 12 " "  
 60.00 a Brook 10 lks. wide C. S. N.  
 71.00 Intersected the N & S. line 600 lks. N. of temp.  
 Town Cor. Set a post Cor. to T. 56 & N. R. 2 & 3 E from  
 which a Beech 16 in. dia. bray N 37 W 26 lks. dist. of  
 a W. Oak 16 " " " N 53 W 51 " "  
 Hilly Oak land. variation to 15' E.

East Boundary. March 24<sup>th</sup> 1811  
 North On E. boundary of Sec. 36, Ty N, R 3 E  
 8.00 a Brook 5 lks. wide C. S. N.  
 28.00 a W. Oak 24 in. dia.  
 40.00 a W. Oak 15<sup>1</sup>/<sub>2</sub> ft. Sec. post, from which  
 a Beech 10 in. dia. bray S 34 E 20 lks. dist. of  
 a Gum 13 " " " N 12 W 40 " "  
 55.00 a W. Oak 12 " "  
 80.00 Set a post Cor. to Sec. 25 & 36, from which  
 a W. Oak 20 in. dia. bray S 58 E 14 lks. dist. of  
 a Do 12 " " " N 28 W 21 " "  
 1<sup>1</sup>/<sub>2</sub> Brush Oak land, last 1/2 hilly Oak land

North On E. boundary of Sec. 25, Ty N, R 3 E.  
 25.00 a Brook 8 lks. wide C. S. N.  
 34.50 a Do 12 " " " S. E.  
 38.00 a W. Oak 16 in. dia.  
 40.00 Set the qt. Sec. post, from which  
 a W. Oak 20 in. dia. bray N 61 W 25 lks. dist. of  
 a Dogwood 5 " " " N 48 E 19 " "  
 61.00 a W. Oak 13 " "  
 74.50 a Brook 10 lks. wide C. S. N. E.  
 80.00 Set a post Cor. to Sec. 24 & 25, from which  
 a Beech 12 in. dia. bray N 64 E 10 lks. dist. of

T<sup>y</sup> N<sup>o</sup> 3 E. 2<sup>d</sup> Mer. Indiana

a Maple 18 in. dia. bray S 84<sup>o</sup> W 10<sup>o</sup> lks. dist.  
Hilly Oak land &c.

North On E. boundary of Sec. 24, T<sup>y</sup> N<sup>o</sup> 3 E.  
40.00 a Chestnut Oak 12 in. dia. for q<sup>r</sup>. Corner from which  
a W. Oak 13 in. dia. bray N 13<sup>o</sup> E 27<sup>o</sup> lks. dist. &  
a Hickory 8 " " " S 20<sup>o</sup> W 18 " "  
46.50 a Brook 8 lks. wide W. E.  
61.00 a Beech 20 in. dia.  
80.00 Set a post cor. to Sec. 13 & 24, from which  
a Beech 10 in. dia. bray N 75<sup>o</sup> W 14<sup>o</sup> lks. dist. &  
a Do 15 " " " S 36<sup>o</sup> E 24 " "  
Hilly Oak & Hickory timbered land

North On E. boundary of Sec. 13, T<sup>y</sup> N<sup>o</sup> 3 E.  
15.00 a Chestnut Oak 15 in. dia.  
20.00 a Brook 6 lks. wide W. N. W.  
40.00 Set the thro q<sup>r</sup>. Sec. post, from which  
a W. Oak 8 in. dia. bray S 50<sup>o</sup> E 11<sup>o</sup> lks. dist. &  
a Do 4 " " " S 14<sup>o</sup> W 5 " "  
49.50 a Brook 15 lks. wide W. N. W.  
60.00 a W. Oak 18 in. dia.  
80.00 Set a post cor. to Sec. 12 & 13, from which  
a Beech 15 in. dia. bray S 88<sup>o</sup> E 27<sup>o</sup> lks. dist. &  
a W. Oak 13 " " " S 80<sup>o</sup> W 5 " "  
Poor hilly land timber Beech, Oak &c

North On E. boundary of Sec. 12, T<sup>y</sup> N<sup>o</sup> 3 E.  
2.50 a Brook 50 lks. wide W. N. W.  
8.25 a Beech 15 in. dia.  
30.75 Set a post on Indian boundary line from which  
a Ash 14 in. dia. bray N 2<sup>o</sup> E 44<sup>o</sup> lks. dist. &  
a Beech 13 " " " N 77<sup>o</sup> E 18 " "

# Ty N R 3 E, T. Mer. Indiana

Land of a middling quality timber Oak, Beech &c.  
 44.35 Let the q. Sec. post, from which  
 a W. Oak 12 in. dia. bray N 53 W 24 lks. dist. of  
 a P. Oak 20 " " " S 31 E 17 " "  
 70.05 a Creek 25 lks. wide Cr. S. E.  
 84.35 Let a post Cor. to Sec. 1 of 12, from which  
 a W. Oak 10 in. dia. bray S 31 W 26 lks. dist. of  
 a Hickory 8 " " " N 53 E 17 " "  
 Hilly land timber Oak, Hickory, Beech &c. under-  
 growth Sassafras &c.

North On E. boundary of Sec. 1, Ty N R 3 E  
 4.10 a Branch 5 lks. wide Course West  
 40.00 Let the q. Sec. post, from which  
 a W. Oak 13 in. dia. bray S 68 1/2 E 42 lks. dist. of  
 a do 20 " " " N 58 W 58 " "  
 80.00 Let a post Cor. to Town 7 of 8 North, Ranges 3  
 and 4 East from which  
 a W. Oak, 24 in. dia. bray N 64 E 41 lks. dist. of  
 a Dogwood 4 " " " S 63 W 6 " "  
 Broken land, timber Oak, Beech &c.

North Boundary March 28. 1811  
 East On S. boundary of Sec. 31, T 8 N. R 3 E.  
 7.50 a Brook 10 lks. wide Course N 45 -  
 16.50 a P. Oak 14 in. dia.  
 40.00 Let the q. Sec. post, from which  
 a Gum 10 in. dia. bray N 37 W 18 lks. dist. of  
 a P. Oak 5 " " " S 49 E 24 " "  
 63.50 a Brook 30 lks. wide Cr. N.  
 77.50 a P. Oak 17 in. dia.  
 80.00 Let a post Cor. to Sec. 31, 32, T 8 N. R 3 E. from which  
 a W. Oak 12 in. dia. bray S 28 W 8 lks. dist. of

T<sup>h</sup>N R<sup>3</sup>E, 2<sup>d</sup> Mer. Indiana

at Beech 10 mi. dist. bearing N 59 E 36 lks. dist.  
Land hilly & poor, timber Oak, Beech &c.

East On S. boundary of Sec. 32, T<sup>h</sup>N R<sup>3</sup>E.

- 9.50 at W. Oak 18 mi. dist.  
16.50 at Brook 25 lks. wide Course N.  
36.50 at W. Oak 12 mi. dist.  
40.00 at the q. Sec. post, from which  
at W. Oak 11 mi. dist. bearing N 51 W 19 lks. dist. of  
at B. Oak 15 " " " S 15 E 21 " "  
69.00 at W. Oak 14 " "  
80.00 at a post Cor. to Sec. 32 & 33, T<sup>h</sup>N R<sup>3</sup>E, from which  
at Gum 11 mi. dist. bearing N 60 E 4 lks. dist. of  
at B. Oak 8 " " " S 3 W 26 " "  
Poor hilly land, timber Beech, Gum &c.

East On S. boundary of Sec. 33, T<sup>h</sup>N R<sup>3</sup>E.

- 22.75 at W. Oak 14 mi. dist.  
36.50 at Brook 25 lks. wide Course N.E.  
40.00 at the q. Sec. post, from which  
at Beech 9 mi. dist. bearing N 64 W 14 lks. dist. of  
at Do 12 " " " S 82 E 19 " "  
50.00 at Brook 20 lks. wide Course W.  
64.25 at W. Oak 11 mi. dist.  
80.00 at a post Cor. to Sec. 33 & 34, T<sup>h</sup>N R<sup>3</sup>E, from which  
at W. Oak 16 mi. dist. bearing N 52 E 18 lks. dist. of  
at Do 18 " " " S 78 W 38 " "  
Land timber &c. same as on the last mile

East On S. boundary of Sec. 34, T<sup>h</sup>N R<sup>3</sup>E.

- 9.00 at Brook 25 lks. wide Course N.  
23.50 at W. Oak 16 mi. dist.  
40.00 at the q. Sec. post, from which

T<sup>8</sup>N. R<sup>3</sup>E. 2<sup>d</sup>. Mer. Indiana

- a Gum 18 m. dia. bran S 72 E 10 lbs. dist. of  
 a P. Oak 30 " " " N 45 W 17 " "  
 57.00 a W. Oak 16 " "  
 58.50 Intersected the boundary line, set post, from which  
 a W. Oak 12 m. dia. bran N 55 E 10 lbs. dist. of  
 a Beech 5 " " " S 30 W 12 " "  
 Poor hilly Oak & Beech land (Continued by Millstead)

- West On Rand<sup>m</sup>. S. boundary of Sec. 36, T<sup>8</sup>N. R<sup>3</sup>E.  
 0.60 a Branch 6 lbs. wide Cr. S. N.  
 40.00 Set temp<sup>y</sup>. of Sec. post  
 72.40 a Branch 50 lbs. wide Cr. S. N.  
 80.00 Set temp<sup>y</sup>. Sec. post

- West On Rand<sup>m</sup>. S. boundary of Sec. 35, T<sup>8</sup>N. R<sup>3</sup>E.  
 40.00 Set temp<sup>y</sup>. of Sec. post  
 45.35 a Branch 8 lbs. wide Cr. S.  
 80.00 Set temp<sup>y</sup>. Sec. post

- West On Rand<sup>m</sup>. S. boundary of Sec. 34, T<sup>8</sup>N. R<sup>3</sup>E.  
 12.77 Intersected the Indian boundary 75 lbs. S. of post

- East On true line S. boundary of Sec. 34, T<sup>8</sup>N. R<sup>3</sup>E.  
 12.77 Set a post Cor. to Sec. 34 & 35, T<sup>8</sup>N. R<sup>3</sup>E. from which  
 a W. Oak 20 m. dia. bran N 72 E 54 lbs. dist. of  
 a Do 12 " " " N 65 W 53 " "  
 Rolling land, timber Oak, Dogwood &c.  
 undergrowth Sassafras, Hackberry &c

- East On true line S. boundary of Sec. 35, T<sup>8</sup>N. R<sup>3</sup>E.  
 40.00 Set the of Sec. post, from which  
 a W. Oak 10 m. dia. bran S 5 1/2 E 20 lbs. dist. of  
 a P. Oak 6 " " " N 7 E 18 " "

T<sub>7</sub>N. R<sub>3</sub>E. 2<sup>d</sup>. Mer. Indiana

80.00 Set a post Cor. to Sec. 35 & 36, T<sub>7</sub>N. R<sub>3</sub>E, from which  
 a Gum 10 m. dia. beam S 35<sup>W</sup> 34 lks. dist. of  
 a Logwood 6 " " " N 27<sup>E</sup> 11 " "  
 Rolling land, timber Oak, undg.<sup>d</sup> Logw. & Sassafras

East Outline line S. boundary of Sec. 36, T<sub>8</sub>N. R<sub>3</sub>E.

40.00 Set the q. Sec. post, from which  
 a W. Oak 20 m. dia. beam S 57<sup>W</sup> 9 lks. dist  
 a Ho 18 " " " North 15 " "

80.00 Intersected the Town Corner. May 30<sup>th</sup> 1819

West Boundary March 26<sup>th</sup> 1811

North On E. boundary of Sec. 36, T<sub>7</sub>N. R<sub>2</sub>E.

3.00 a Brook 25 lks. wide Course N 20 E.

40.00 Set the q. Sec. post, from which  
 a Maple 4 m. dia. beam N 80<sup>W</sup> 23 lks. dist. of  
 a W. Oak 20 " " " N 80<sup>E</sup> 20 " "

65.50 a Beech 20 " "

75.50 a Creek 150 lks. wide Cr. N. W.

80.00 Set a post Cor. to Sec. 25 & 36, T<sub>7</sub>N. R<sub>2</sub>E, from which  
 a Beech 8 m. dia. beam N 43<sup>E</sup> 4 lks. dist. of  
 a Hickory 4 " " " N 33<sup>W</sup> 18 " "  
 Poor hilly Oak land

North On E. boundary of Sec. 25, T<sub>7</sub>N. R<sub>3</sub>E.

34.00 a W. Oak 25 m. dia.

40.00 Set the q. Sec. post, from which  
 a Sugar 5 m. dia. beam N 50<sup>E</sup> 10 lks. dist. of  
 a Poplar 3 " " " N 8<sup>W</sup> 12 " "

44.00 a Creek 150 lks. wide Cr. N. E.

47.00 a Ho 150 " " " N. W.

69.50 a W. Oak 16 m. dia.

80.00 Set a post Cor. to Sec. 24 & 25, T<sub>7</sub>N. R<sub>2</sub>E, from which

Ty N R3 E 2<sup>n</sup> Mer. Indiana

a W. Oak 14 in. dia. bray S80 W 12 lks. dist. of  
a Do 24 " " " N23 E 50 " "  
1<sup>st</sup> 1/2 mile wet bottom land - last 1/2 hilly oak land

North On E. boundary of Sec. 24, Ty N. R3 E.

9.50 a W. Oak 14 in. dia.  
40.00 Let the q<sup>r</sup>. Sec. post, from which  
a B. Oak 12 in. dia. bray N38 W 14 lks. dist. of  
a Do 10 " " " S80 W 27 " "  
60.25 a Hickory 14 " "  
80.00 Let a post Cor. to Sec. 13 & 24, Ty N. R2 E. from which  
a W. Oak 13 in. dia. bray S20 W 14 lks. dist. of  
a Do 16 " " " N4 E 23 " "  
Land poor & hilly, timber W. Oak, Beech &c

North On E. boundary of Sec. 13, Ty N. R2 E.

14.75 a W. Oak 18 in. dia.  
40.00 Let the q<sup>r</sup>. Sec. post, from which  
a W. Oak 8 in. dia. bray N10 W 13 lks. dist. of  
a Mulberry 4 " " " N35 E 34 " "  
40.50 a Brook 25 lks. wide Cr. S. W.  
80.00 Let a post Cor. to Sec. 12 & 13, Ty N. R2 E. from which  
a W. Oak 18 in. dia. bray N27 W 36 lks. dist. of  
a Beech 4 " " " S27 E 6 " "  
Land poor & hilly, timber Oak, Beech &c.

North On E. boundary, of Sec. 12, Ty N. R2 E.

1.00 a Brook 12 lks. wide Cr. S. E.  
30.00 a Hickory 9 in. dia.  
40.00 Let the q<sup>r</sup>. Sec. post, from which  
a W. Oak 11 in. dia. bray S33 W 12 lks. dist. of  
a Maple 12 " " " N54 E 18 " "  
56.50 a Brook 6 lks. wide Course South

T<sup>y</sup> N. R<sup>3</sup> E. 2<sup>d</sup>. Mer. Indiana

80.00 Set a post Cor. to Secs. 1 & 12, T<sup>y</sup> N. R<sup>2</sup> E. from which  
 a Maple 10 in. diam. brang N40 E 14 lbs. dist. of  
 a Hickory 3 " " " N67 W 15 " "  
 Poor hilly land, timber Oak, Logwood &c.

North On E. boundary of Sec. 1, T<sup>y</sup> N. R<sup>2</sup> E.

26.00 a W. Oak 14 in. diam.

29.50 a Brook 12 lbs. wide Course S.W.

40.00 Set the q. Sec. post, from which  
 a Chestnut Oak 13 in. diam. brang N75 W 37 lbs. dist. of  
 a W. Oak 13 " " " N20 W 31 " "

75.00 a P. Oak 15 " "

80.00 Set a post Cor. to Town 7 & 8 North, Range 24  
 3, East, from which  
 a Beech 12 in. diam. brang N45 E 21 lbs. dist. of  
 a Do 10 " " " N65 W 10 " "  
 Sand timber &c. Same as on the last mile  
 Surveyed by Alexander Holmes Dep. Sur.  
 N.E. of boundary by John M. Donald, D. S.

## Subdivision.

North Between Secs. 35 & 36, T<sup>y</sup> N. R<sup>3</sup> E.

40.00 Set the q. Sec. post, from which  
 a P. Oak 10 in. diam. brang N4 W 14 lbs. dist. of  
 a Do 18 " " " N36 E 23 " "

70.00 a Brook 12 lbs. wide Course S.E.

80.00 Set a post Cor. to Secs. 25, 26, 35 & 36, from which  
 a Beech 10 in. diam. brang N65 E 13 lbs. dist. of  
 a Do 18 " " " N13 E 9 " "  
 Sand hilly, timber Oak, Hickory & Beech  
 underg<sup>d</sup>. Logwood, Oak & Hickory

East On R<sup>andom</sup> between Secs. 25 & 36, T<sup>y</sup> N. R<sup>3</sup> E

Ty N R 3 E 2<sup>d</sup> Mer. Indiana

34.00 a Brook 10 lks. wide Cr. S.  
 40.00 Set temp. q. Sec. post  
 79.90 Intersected the E. boundary at the post  
 Land timber &c. same as on the last mile

West On true line between Sec. 25 & 26, Ty N. R 3 E.  
 39.95 Set q. Sec. post at average dist. from which  
 a Beech 12 in. dia. bears East 5 lks. dist.  
 79.90 to Sec. Corner.

North Between Sec. 25 & 26, Ty N. R 3 E.  
 40.00 Set the q. Sec. post from which  
 a Beech 18 in. dia. bears S 42 W 13 lks. dist. &  
 a Do 6 " " " S 78 E 27 " "  
 46.15 a Brook 20 in. dia.  
 80.00 Set a post Corner To Sec. 23, 24, 25 & 26. from which  
 a W. Oak 8 in. dia. bears S 17 W 9 lks. dist. &  
 a Hickory 7 " " " S 32 E 15 " "

East On Random Between Sec. 24 & 25, Ty N. R. 3 E.  
 23.00 a Brook S. E.  
 40.00 Set the temp. q. Sec. post  
 80.14 Intersected the N. & E. line 88 lks. South of post.  
 Land the same

West On true line Between Sec. 24 & 25, Ty N. R 3 E.  
 40.07 Set q. Sec. post at average dist. from which  
 a Beech 8 in. dia. bears N 80 E 13 lks. dist. &  
 a Do 10 " " " S 19 W 30 " "  
 80.14 to Section Corner

North Between Sec. 23 & 24, Ty N. R 3 E.  
 40.00 Set the q. Sec. post from which

T<sub>7</sub>N. R<sub>3</sub>E. T<sub>2</sub> Mer. Indiana

- a Beech 12 in. dia. bears N<sup>65</sup>E 28 lks. dist.  
 a Sugar 15 " " " S<sup>77</sup>E 24 " "  
 80 . 00 Set a post Corner to Sec. 13, 14, 23 & 24 from which  
 a W. Oak 20 in. dia. bears S<sup>26</sup>E 8 lks. dist. &  
 a Beech 12 " " " S<sup>56</sup>W 11 " "  
 Sand the Same
- 

- East On Random Between Sec. 13 & 24, T<sub>7</sub>N, R<sub>3</sub>E.  
 40 . 00 Set the temp<sup>y</sup>. of Sec. post  
 80 . 00 Intersected the N. & S. line 36 lks. South of post.  
 Sand the Same
- 

- West On true line Between Sec. 13 & 24, T<sub>7</sub>N, R<sub>3</sub>E.  
 40 . 00 Set the of Sec. post at average dist. from which  
 a Beech 8 in. dia. bears S<sup>60</sup>E 13 lks. dist. &  
 a Do 10 " " " N<sup>53</sup>W 8 " "  
 80 . 00 to Section Corner
- 

- North Between Sections, 13 & 14, T<sub>7</sub>N, R<sub>3</sub>E.  
 7 . 00 a Brook 20 lks. wide Course West  
 40 . 00 Set the of Sec. post from which  
 a Beech 15 in. dia. bears S<sup>56</sup>W 13 lks. dist. &  
 a Hickory 12 " " " N<sup>30</sup>W 19 " "  
 46 . 00 a Brook 12 lks. wide Course West  
 80 . 00 Set the post Corner to Sec. 11, 12, 13 & 14, from which  
 a Beech 20 in. dia. bears S<sup>48</sup>W 35 lks. dist. &  
 a Do 10 " " " N<sup>18</sup>W 32 " "  
 Sand the Same
- 

- East On Random Between Sec. 12 & 13, T<sub>7</sub>N, R<sub>3</sub>E.  
 40 . 00 Set the temp<sup>y</sup>. of Sec. post f  
 72 . 00 a Brook 12 lks. wide Course South  
 78 . 69 Intersected the N. & S. line at the post

T7N R3E 2<sup>d</sup> Mer. Indiana

Land the Same

West On true line Between Sec. 12 & 13, T7N-R3E.  
 39 . 34 1/2 Set the q. Sec. post at average dist. from which  
 a Sugar 12 in. dia. bears S 84 E 13 lbs. dist. &  
 a Beech 12 " " " N 21 E 31 " "  
 78 . 69 to Section Corner

North Between Sec. 11 & 12, T7N-R3E.  
 30 . 00 a B. Oak 20 in. dia.  
 40 . 00 Set the q. Sec. post from which  
 a B. Oak 20 in. dia. bears S 37 W 8 lbs. dist. &  
 a Do — " " " N 16 E 23 " "  
 80 . 00 Set a post Corner to Sec. 1, 2, 11 & 12. from which  
 a W. Oak 12 in. dia. bears S 50 E 13 lbs. dist. &  
 a B. Oak 20 " " " S 56 W 16 " "  
 Land the Same

East On Range Between Sec. 1 & 12, T7N-R3E.  
 11 . 96 Set a post on the boundary line Cor. to Sec. 1 & 12  
 from which  
 a Ironwood 8 in. dia. bears S 77 W 17 lbs. dist. &  
 a Hickory 10 " " " N 88 W 44 " "  
 33 . 14 a B. Oak 30 " "  
 40 . 00 Set the temp. q. Sec. post  
 62 . 50 a W. Oak 11 in. dia.  
 68 . 95 a Brook 10 lbs. wide Course S. 40. E.  
 78 . 50 Intersected the East Boundary on Range line 4 Ch.  
 & 2 lbs. South of post Corner to Sec. 6 & 7 in the  
 adjacent Township Set a post from which  
 a B. Oak 26 in. dia. bears S 40 W 5 lbs. dist. &  
 a W. Oak 12 " " " N 10 E 6 " "  
 Unreaven poor Land timber W. B. Oak undergrowth

T<sup>y</sup> N. R 3 E, 2<sup>d</sup>. Mer. Indiana

Dogwood &amp; Sassafras

West On true line Between Sec<sup>s</sup>. 1 & 2, T<sup>y</sup> N. R 3 E.  
 39.25 Set a <sup>q</sup>f. Sec. post at average dist. from which  
 a W. Oak 14 in. dia. bears S 51 W 28 lks. dist. &  
 an Ash 12 " " " N 1 E 27 " "

78.50 to Section Corner

North Between Sec<sup>s</sup>. 1 & 2, T<sup>y</sup> N. R 3 E.

8.90 Set a post on the boundary from which  
 a W. Oak 22 in. dia. bears S 72 W 28 lks. dist. &  
 a Do 12 " " " N 14 W 22 " "

32.50 a W. Oak 30 " "

40.00 Set the <sup>q</sup>f. Sec. post from which  
 a B. Oak 15 in. dia. bears S 23 E 23 lks. dist. &  
 a Do 16 " " " N 35 W 24 " "

51.50 a B. Oak 22 " "

80.50 Intersected the North Boundary 6.52 lks. West of post  
 Corner to Sec<sup>s</sup>. 35 & 36, in the adjacent Township  
 a W. Oak 16 in. dia. bears N 14 E 55 lks. dist. &  
 a Do 24 " " " S 34 W 52 " "  
 Uneven poor Land timber W. B. Oak & Hickory  
 undergrowth Dogwood &c.

North Between Sec<sup>s</sup>. 34 & 35, T<sup>y</sup> N. R 3 E

40.00 Set the <sup>q</sup>f. Sec. post from which  
 an Oak 20 in. dia. bears N 60 E 7 lks. dist. &  
 a Hickory 3 " " " N 23 E 16 " "

80.00 Set a post Corner to Sec<sup>s</sup>. 26, 27, 34 & 35, from which  
 a Gum 20 in. dia. bears N 70 W 18 lks. dist. &  
 a Beech 6 " " " N 19 W 18 " "

Land Hilly timber Chestnut Oak and Gum -

# Ty N R 3 E. Mer. Indiana

East On Random Between Sec. 26 & 35, Ty N. R. 3 E.  
 40 .00 Set the temp. q. Sec. post  
 79 .00 a Brook 10 lks. wide Course South  
 80 .34 Intersected the N & S. line 36 lks. South of post  
 Land the Same

West On true line Between Sec. 26 & 35, Ty N. R. 3 E.  
 40 .17 Set the q. Sec. post at average dist. from which  
 a B. Oak 24 in. dia. bears N 48 E 14 lks. dist. &  
 a Beech 12 " " " S 68 E 32 " "  
 80 .34 to Section Corner

North Between Sec. 26 & 27, Ty N. R. 3 E.  
 40 .00 Set the q. Sec. post from which  
 a B. Oak 10 in. dia. bears South 14 lks. dist. &  
 a Beech 5 " " " S 45 E " "  
 80 .00 Set a post Corner to Sec. 26, 27, 22 & 23, from which  
 a Sugar 10 in. dia. bears N 40 E 9 lks. dist. &  
 a Hickory 5 " " " N 72 W 5 " "  
 Land the Same

East On Random Between Sec. 25 & 26, Ty N. R. 3 E.  
 40 .00 Set the temp. q. Sec. post  
 80 .27 Intersected the N & S. line 56 lks. South of post  
 Land the Same

West On true line Between Sec. 25 & 26, Ty N. R. 3 E.  
 40 .18 1/2 Set q. Sec. post at average dist. from which  
 a Chesnut Oak 18 in. dia. bears S 65 E 15 lks. dist. &  
 a Do 20 " " " N 17 E 28 " "  
 80 .27 to Section Corner

North Between Sec. 22 & 23, Ty N. R. 3 E.

T<sup>y</sup> N. R 3 E. 2<sup>d</sup>. Mer. Indiana

- 19.50 a W. Oak 18 in. dia.  
 40.00 Set the q. Sec. post from which  
 a Beech 30 in. dia. bears N 63 E 10 lks. dist. &  
 a Do 3 " " " " N 19 E 12 " "
- 63.50 a Brook 30 lks. wide Course West.  
 80.00 Set a post Corner to Sec. 14, 15, 22 & 23. from which  
 a W. Walnut 4 in. dia. bears S 11 E 18 lks. dist. &  
 a Do 3 " " " " N 16 E 10 " "  
 Sand Rolling timber Oak & Hickory -

East On Random Between Sec. 14 & 23, T<sup>y</sup> N. R 3 E.

- 20.00 a Brook 20 lks. wide Course S. W.  
 40.00 Set the temp. q. Sec. post.  
 60.00 a Brook 15 lks. wide Course S. W.  
 80.50 Intersected the N. & S. line 80 lks. South of post.  
 Sand the Same

West On true line Between Sec. 14 & 23, T<sup>y</sup> N. R 3 E.

- 40.25 Set q. Sec. post at average dist. from which  
 a Sugar 12 in. dia. bears N 58 E 11 lks. dist. &  
 an Elm 10 " " " " N 75 W 18 " "  
 80.50 to Section Corner

North Between Sec. 14 & 15, T<sup>y</sup> N. R 3 E.

- 40.00 Set a q. Sec. post from which  
 a W. Oak 20 in. dia. bears S 39 W 19 lks. dist. &  
 a Gum 8 " " " " N 14 E 23 " "  
 55.50 a Brook 10 lks. wide Course S. W.  
 80.00 Set a post Corner to Sec. 10, 11, 14 & 15. from which  
 a Gum 15 in. dia. bears N 63 W 23 lks. dist. &  
 an Ironwood " " " " N 81 E 14 " "  
 Sand Rolling timber Oak & Hickory

T<sub>7</sub>N-R3E, 2<sup>nd</sup> Mer. Indiana

East On Random Between Sec. 11 & 14, T<sub>7</sub>N. R. 3E.  
 40 .00 Set the temp<sup>y</sup>. of Sec. post.  
 80 .59 Intersected the N. & S. line 20 lks. South of post  
 Land and timb<sup>r</sup>. Same as on the last mile

West On true line Between Sec. 11 & 14, T<sub>7</sub>N. R. 3E.  
 40 .194 Set a qf. Sec. post at average dist from which  
 a Poplar 24 in. dia. bears N 26° W 12 lks. dist. of  
 a Beech 5 " " " S 1° W 24 " "  
 80 .39 to Section Corner

North Between Sec. 10 & 11, T<sub>7</sub>N. R. 3E.  
 40 .00 Set the qf. Sec. post from which  
 a Dogwood 4 in. dia. bears S 11° E 12 lks. dist. of  
 a W. Oak 5 " " " S 71° W 14 " "  
 80 .00 Set a post Corner to Sec. 2, 3, 10 & 11, from which  
 a W. Oak 15 in. dia. bears West 16 lks. dist. of  
 a Do 24 " " " N 32° W 21 " "  
 Land and timb<sup>r</sup>. as on the last mile

East On Random Between Sec. 2 & 11, T<sub>7</sub>N. R. 3E.  
 40 .00 Set the temp<sup>y</sup>. of Sec. post  
 80 .45 Intersected the N. & S. line 29 lks. South of post.  
 Land the same

West On true line Between Sec. 2 & 11, T<sub>7</sub>N. R. 3E.  
 40 .227 Set a qf. Sec. post at average dist. from which  
 a Hickory 10 in. dia. bears S 70° E 10 lks. dist. of  
 a W. Oak 30 " " " N 45° W 17 " "  
 80 .45 to Section Corner

North Between Sec. 2 & 5, T<sub>7</sub>N. R. 3E.  
 40 .00 Set the qf. Sec. post from which

T<sup>y</sup> N. R<sup>3</sup> E. 2. Mer. Indiana

- a) W. Oak 20 in. dia. bears S 39 E 24 lks. dist.  
 a) Do 8 " " " S 19 W 24 " "  
 72. 37 Intersected the old boundary set a post from which  
 a W. Oak 20 in. dia. bears N 70 W 2 lks. dist. &  
 a Do 15 " " " S 47 E 17 " "  
 81. 73 Intersected the N. boundary of Sec. 56 lks. West of post  
 Corner to Sec. 34 & 35, in the adjacent township  
 and set a post on town line from which  
 a W. Oak 15 in. dia. bears N 74 W 54 lks. dist. &  
 a Do 17 " " " S 57 W 35 " "  
 Land and timber as on the last mile

North Between Sec. 33 & 34, T<sup>y</sup> N. R<sup>3</sup> E.

40. 00 Set the q. Sec. post from which  
 a Gum 12 in. dia. bears S 50 E 16 lks. dist. &  
 and from P. 3 " " " S 58 W 4 " "  
 60. 00 Set a post Corner to Sec. 27, 28, 33 & 34, from which  
 a W. Oak — in. dia. bears N 13 W 17 lks. dist. &  
 a Sugar 12 " " " S 35 W 28 " "  
 Sand Hilby timber Oak & Hickory

East On Random Between Sec. 27 & 34, T<sup>y</sup> N. R<sup>3</sup> E.

40. 00 Set the temp. q. Sec. post  
 60. 00 Intersected the N. & S. line 6 lks. South of post  
 Sand the same —

West On true line Between Sec. 27 & 34, T<sup>y</sup> N. R<sup>3</sup> E.

40. 00 Set the q. Sec. post at average dist. from which  
 a Beech 10 in. dia. bears N 70 W 8 lks. dist. &  
 a Do 3 " " " S 56 E 15 " "  
 60. 00 To Section Corner

North Between Sec. 27 & 28, T<sup>y</sup> N. R<sup>3</sup> E.

Ty N R 3 E 2<sup>d</sup> Mer. Indiana

- 40.00 Let the qf. Sec. post from which  
a W. Oak 4 in. dia. bears N 47 W 8 lks. dist. &  
a Beech 12 " " " N 46 E 22 " "
- 50.00 a Brook 50 lks. wide Course S. W.
- 60.00 Let a post Corner to Secs. 21, 22, 27 & 28, from which  
a Beech 3 in. dia. bears S 41 W. - lks. dist. &  
a W. Oak 26 " " " N 44 E 31 " "  
Land and timber as on the last mile -

East On Pradom Between Secs. 22 & 27 Ty N, R 3 E.

- 40.00 Let the temp. qf. Sec. post
- 42.00 a Brook 30 lks. wide Course S. W.
- 79.33 Intersected the N 4 S. line 19 lks. North of post.  
Land Rolling timber the Same

West On true line Between Secs. 22 & 27 Ty N, R 3 E.

- 39.66 Let the qf. Sec. post at average dist. from which  
and Elm 3 in. dia. bears East 1 lks. dist.
- 79.33 to Section Corner

North Between Secs. 21 & 22 Ty N, R 3 E.

- 40.00 Let the qf. Sec. post from which  
an Iron P. 3 in. dia. bears N 35 W 22. lks. dist. &  
a do 3 " " " " S 69 E 4 " "
- 60.00 Let a post Corner to Secs. 15, 16, 21 & 22, from which  
a Walnut 10 in. dia. bears S 51 E 19 lks. dist. &  
a Elm 10 " " " " S 12 W 15 " "  
Land level timber Poplar Walnut & Sugar tree.

East On Pradom Between Secs. 15 & 22 Ty N, R 3 E.

- 2.00 a Brook 15 lks. wide Course S. W.
- 40.00 Let the temp. qf. Sec. post.
- 79.40 Intersected the N 4 S line 17 lks. North of post.

T<sub>7</sub>N. R<sub>3</sub>E, 2<sup>d</sup> Mer. Indiana

Land Rolling timber Same

---

West On true line Between Sec. 15 & 22, T<sub>7</sub>N. R<sub>3</sub>E.  
 39.70 Set the qf. Sec. post, <sup>at average dist.</sup> from which  
 a B. Oak 10 in. dia. bears S 58° W 12 lks. dist. &  
 a W. Oak 20 " " " N 15° E 29 " "  
 79.40 to Section Corner

---

North Between Sec. 15 & 16, T<sub>7</sub>N. R<sub>3</sub>E.  
 35.00 a Brook 18 lks. wide Course S. E.  
 40.00 Set the qf. Sec post from which  
 a Ironwood - in. dia. bears S 22° W 15. lks. dist. &  
 a Beech 20 " " " N 48° E 24 " "  
 45.00 a W. Oak 36 " "  
 80.00 Set the post Corner to Sec. 9, 10, & 15, 16, from which  
 a Hickory 4 in. dia. bears S 5° E 15 lks. dist. &  
 a Do 5 " " " N 19° W 5 " "  
 Land Rolling timber the Same

---

East On Random Between Sec. 10 & 15, T<sub>7</sub>N. R<sub>3</sub>E.  
 24.00 a Brook 9 lks. wide Course South.  
 40.00 Set the temp. qf. Sec. post  
 79.50 Intersected the N. & S. line 97 lks. North of post  
 Land the Same

---

West On true line Between Sec. 10 & 15, T<sub>7</sub>N. R<sub>3</sub>E.  
 39.75 Set the qf. Sec. post at average dist. from which  
 a W. Oak 20 in. dia. bears N 6° E 29 lks. dist. &  
 a Do 22 " " " S 8° W 16 " "  
 79.50 to Section Corner

---

North Between Sec. 9 & 10, T<sub>7</sub>N. R<sub>3</sub>E.  
 40.00 Set the qf. Sec. post from which

Ty N R 3 E 2<sup>nd</sup> Mer. Indiana

a Oak 30 in. dia. bears S 2 W 21 lks. dist. &  
 a Maple 8 " " " N 71 W 5 " "  
 80.00 a Chestnut Oak 20 in. dia. for Corner of Sec.  
 3, 4, 9 & 10. Land very hilly timber Oak & Poplar

East On Random Between Sec. 3 & 10. Ty N. R. 3 E.  
 40.00 Set the temp. y. of. Sec. post  
 79.65 Intersected the N. & S. line 34 lks. North of post.  
 Land the Same

West On true line Between Sec. 3 & 10. Ty N. R. 3 E.  
 39.82 1/2 Set the of. Sec. post at average dist. from which  
 an Ironwood 8 in dia. bears S 64 E 13 lks. dist. &  
 a B. Oak 4 " " " S 7 E 8 " "  
 79.65 to Section Corner

North Between Sec. 3 & 4. Ty N. R. 3 E.  
 40.00 Set the of. Sec. post from which  
 a Hickory 8 in. dia. bears S 20 E 12 lks. dist. &  
 a B. Oak 6 " " " N 44 W 14 " "  
 80.64 Intersected the N. boundary 7.60 lks. W. of post  
 Set a post Cor. to Sec. 3 & 4, from which  
 a Beech 20 in. dia. bears S 45 W 14 lks. dist. &  
 a Br. Oak 5 " " " N 80 E 24 " "  
 Land the Same as on the last mile

North Between Sec. 32 & 33. Ty N. R. 3 E.  
 40.00 a B. Oak 8 in. dia. for Corner  
 80.00 Set a post Corner to Sec. 28, 29, 32 & 33, from which  
 a Chestnut Oak 8 in. dia. bears S 26 W 12 lks. dist. &  
 a 10 10 " " " S 47 E 14 " "  
 Land Hilly thin Soil timber the Same.

T<sub>4</sub>N. R. 3 E. 2<sup>d</sup>. Mer. Indiana

East On Random Between Sec. 28 & 33. T<sub>4</sub>N. R. 3 E.  
 40.00 Set the temp<sup>y</sup>. g<sup>r</sup>. Sec. post  
 48.00 a Brook 20 lks. wide Course N.  
 74.00 a do 13 " " " N. E.  
 80.00 Intersected the N. & S. line 10 lks. North of post  
 Land the Same

---

West On true line Between Sec. 28 & 33. T<sub>4</sub>N. 3 E.  
 40.00 Set the g<sup>r</sup>. Sec. post at average dist. from which  
 a Sugar 13 in. dia. bears N 54 E 17 lks. dist. &  
 a Iron P. 3 " " " " S 63 E 14 " "  
 80.00 to Section Corner

---

North Between Sec. 28 & 29. T<sub>4</sub>N. R. 3 E.  
 40.00 Set the g<sup>r</sup>. Sec. post from which  
 a Beech 3 in. dia. bears S 46 E 17 lks. dist. &  
 a do 15 " " " " N 49 W 17 " "  
 50.00 a Creek 100 lks. wide Course S. W. " " " "  
 80.00 a Beech 10 in. dia. Corner to Sec. 20, 21, 28, & 29  
 Land level and rich tim. Poplar, Beech, Saguoye

---

East On Random Between Sec. 21 & 28. T<sub>4</sub>N. R. 3 E.  
 29.00 a Brook 12 lks. wide Course S. E.  
 40.00 Set the temp<sup>y</sup>. g<sup>r</sup>. Sec. post  
 79.00 Intersected the N. & S. line 10 lks. N. of post  
 Land and Same as last mile.

---

West On true line Between Sec. 21 & 28. T<sub>4</sub>N. R. 3 E.  
 39.50 Set the g<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 25 in. dia. bears S 45 W 8 lks. dist. &  
 a do 12 " " " " S 47 E 14 " "  
 79.00 to Section Corner

---

T<sup>7</sup>N. R<sup>3</sup>E. 2<sup>n</sup>. Mer. Indiana

North Between Secs. 20 & 21, T<sup>7</sup>N. R. 3E.

- 40.00 Set of Sec. post from which  
 a W. Oak 12 in. dia. bears S 54 E 17 lks. dist. &  
 a Do 15 " " " " S 67 W 53 " "
- 80.00 Set a post Corner to Secs. 16, 17, 20 & 21, from which  
 a B. Oak 5 in. dia. bears S 36 E 20 lks. dist. &  
 a W. Oak 15 " " " " N 43 W 20 " "  
 Land rolling thin soil timber Oak & Hickory
- 

East On Random Between Secs. 16 & 21, T<sup>7</sup>N. R. 3E.

- 40.00 Set temp. of Sec. post.  
 79.80 Intersected the N. & S. 27 lks. South of post  
 Land timber &c. Same.
- 

West On true line Between Secs. 16 & 21, T<sup>7</sup>N. R. 3E.

- 39.90 Set of Sec. post at average dist. from which  
 a Beech 12 in. dia. bears N 70 W 20 lks. dist. &  
 a Do 10 " " " " S 46 E 17 " "
- 79.80 to Section Corner
- 

North Between Secs. 16 & 17, T<sup>7</sup>N. R. 3E.

- 39.00 a Sugar tree 20 in. dia.  
 40.00 Set the of Sec. post from which  
 a Beech 15 in. dia. bears S 45 W 30 lks. dist. &  
 a Do 15 " " " " N 79 W 35 " "
- 80.00 Set a post Corner to Secs. 8, 9, 16 & 17 from which  
 a B. Oak 30 in. dia. bears N 13 E 21 lks. dist. &  
 a Poplar 5 " " " " S 27 E 9 " "  
 Land rolling thin soil timber Oak & Gum.
- 

East On Rand<sup>m</sup> between Secs. 9 & 16, T<sup>7</sup>N. R. 3E.

- 40.00 Set temp. of Sec. post  
 80.12 Intersected the N. & S. line 37 lks. S. of post

T<sub>7</sub>N-R3E-2<sup>d</sup>. Mer. Indiana

Land timber &amp;c. Same as on the last mile

West On true line between Sec. 9 & 16, T<sub>7</sub>N-R3E.  
 40.06 Set q. Sec. post at average dist. from which  
 a Br. Oak 17 in. dia. bears N 78° W 4 lks. dist. of  
 a W. Oak 20 " " " N 9° E 39 " "  
 80.12 to Sec. Corner

North Between Sec. 8 & 9, T<sub>7</sub>N-R3E.

17.11 a Beech 15 in. dia.

40.00 Set the q. Sec. post, from which  
 a B. Oak 8 in. dia. bears N 22° E 11 lks. dist. of  
 a Do 10 " " " N 61° E 21 " "

80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which  
 a B. Oak - in. dia. bears S 78° W 18 lks. dist. of  
 a Hickory 6 " " " N 66° W 15 " "  
 Land timber &c. Same as on the last mile

East On Rand<sup>m</sup> between Sec. 4 & 9, T<sub>7</sub>N-R3E.

40.00 Set the temp. q. Sec. post.

79.67 Intersected the N. & S. line 22 lks. South of post.  
 Land the Same

West On true line between Sec. 4 & 9, T<sub>7</sub>N-R3E.

39.43 Set a q. Sec. post at average dist. from which  
 a W. Oak 15 in. dia. bears S 24° E 5 lks. dist. of  
 a Do 15 " " " S 55° W 16 " "

79.67 to Section Corner

North Between Sec. 4 & 5, T<sub>7</sub>N-R3E.

10.40 a Est. Oak 25 in. dia.

40.00 Set q. Sec. post from which  
 a C. Oak 15 in. dia. bears S 35° E 12 lks. dist. of

Ty N R 3 E 2<sup>d</sup> Mer. Indiana

a Hickory 12 in. dia. bears N 80 E 7 lks. dist.  
 80 .55 Intersected the N. boundary 6.00 lks. W. of post  
 Set a post Corner to Sec. 5 & 6, from which  
 a B. Oak 10 in. dia. bears S 60 W 15 lks. dist. &  
 a Do 8 " " " N 79 E 14 " "  
 Land and sp. same as on the last mile

North Between Sec. 31 & 32, Ty N R 3 E,  
 40 .00 Set the q. Sec. post from which  
 a W. Walnut 8 in. dia. bears S 114 W 18 lks. dist. &  
 a Poplar 3 " " " N 43 E 8 " "  
 80 .00 Set a post Corner to Sec. 29, 30, 31 & 32, from which  
 a Hickory 31 in. dia. bears South 1 lks. dist. &  
 Land hilly thin soil timber Oak Hickory Poplar &c.

East On Random Between Sec. 29 & 32, Ty N, R 3 E.  
 40 .00 Set temp. q. Sec. post  
 80 .00 Intersected the N. & S. line 10 lks. South of post.  
 Land the Same

West On true line Between Sec. 29 & 32, Ty N, R 3 E,  
 40 .00 Set q. Sec. post at the average dist. from which  
 a Hickory 3 in. dia. bears N 9 E 9 lks. dist. &  
 a Poplar 3 " " " N 65 E 7 " "  
 80 .00 to Section Corner

North Between Sec. 19, 20, 29 & 30, Ty N, R 3 E,  
 40 .00 Set the q. Sec. post from which  
 a W. Oak 10 in dia. bears N 53 W 16 lks. dist. &  
 a Do 15 " " " N 25 E 5 " "  
 60 .00 a Brook 75 lks. wide Course S. W.  
 80 .00 Set a post Corner to Sec. 19, 20, 29 & 30, from which  
 a Maple 6 in. dia. bears S 89 W 4 lks. dist. &

T<sub>7</sub>N. R<sub>3</sub>E. 2<sup>nd</sup> Mer. Indiana

w Maple 6 in. dia. bears N<sub>78</sub>E<sub>23</sub> lks. dist.  
Land &c. Same as on the last mile

East On Random Between Sec<sup>s</sup>. 20 & 29, T<sub>7</sub>N. R<sub>3</sub>E.  
40 .00 Set temp<sup>y</sup>. q<sup>t</sup>. Sec. post  
79 .70 Intersected the N. & S. line 33 lks. North of post.  
Land the Same

West On true line Between Sec<sup>s</sup>. 20 & 29, T<sub>7</sub>N. R<sub>3</sub>E.  
39 .45 Set q<sup>t</sup>. Sec. post at the average dist. from which  
a Poplar 3 in. dia. bears N<sub>17</sub>E<sub>23</sub> lks. dist. 4  
a Do 6 " " " S<sub>12</sub>E<sub>31</sub> " "  
79 .70 to Section Corner

North Between Sec<sup>s</sup>. 19 & 20, T<sub>7</sub>N. R<sub>3</sub>E.  
40 .00 Set q<sup>t</sup>. Sec. post from which  
a Beech 3 in. dia. bears N<sub>28</sub>W<sub>7</sub> lks. dist. 4  
a Do 3 " " " S<sub>10</sub>E<sub>8</sub> " "  
80 .00 Set a post Corner to Sec<sup>s</sup>. 17, 18, 19 & 20, from which  
a B. Oak 20 in. dia. bears S<sub>75</sub>E<sub>19</sub> lks. dist. 4  
a W. Oak 15 " " " N<sub>43</sub>E<sub>27</sub> " "  
Land and timber Same as on the last mile.

East On Random Between Sec<sup>s</sup>. 17 & 20, T<sub>7</sub>N. R<sub>3</sub>E.  
40 .00 Set temp<sup>y</sup>. q<sup>t</sup>. Sec. post  
79 .10 Intersected the N. & S. line 50 lks. North of post.  
Land the Same as on last mile.

West On true line Between Sec<sup>s</sup>. 17 & 20, T<sub>7</sub>N. R<sub>3</sub>E.  
39 .55 Set Sec. Post at the average dist. from which  
a W. Oak 24 in. dia. bears N<sub>2</sub>W<sub>18</sub> lks. dist. 4  
a Do 25 " " " N<sub>75</sub>E<sub>25</sub> " "  
79 .10 to Section Corner

North	Between Secs. 17 & 18, T <sup>y</sup> N. R <sup>3</sup> E.
40.00	Set q <sup>r</sup> . Sec. post from which a B. Oak 8 in. dia. bears S 23 E 11 lbs. dist. 7 a Do 8 " " " S 81 E 16 " "
80.00	Set a post Corner to Secs. 7 & 8, 17 & 18, from which a C. Oak 20 in. dia. bears S 46 E 25 lbs. dist. 7 a Beech 15 " " " S 8 W 30 " " Land and timber as above.
East	On Random Between Secs. 8 & 17, T <sup>y</sup> N. R <sup>3</sup> E.
40.00	Set temp <sup>y</sup> . q <sup>r</sup> . Sec. post
80.59	Intersected the N & S. line 22 lbs. North of post. Land the same as on last mile.
West	On true line Between Secs. 8 & 17, T <sup>y</sup> N. R <sup>3</sup> E.
40.29 1/2	Set adj. Sec. post at the average dist. from which a B. Oak 18 in. dia. bears S 61 W 15 lbs. dist. 7 a Do 10 " " " N 60 E 11 " "
80.59	to Section Corner
North	Between Secs. 7 & 8, T <sup>y</sup> N. R <sup>3</sup> E.
15.00	a Brook 30 lbs. wide Course — .
40.00	Set q <sup>r</sup> . Sec. post from which a B. Oak 5 in. dia. bears S 1 W 8 lbs. dist. 7 a Beech 6 " " " N 70 E 14 " " Land and fr. same.
80.00	Set a post Corner to Secs. 5 & 6, 7 & 8, from which. a W. Oak 20 in. dia. bears S 52 E 6 lbs. dist. 7 a Do 24 " " " N 26 W 18 " " Land the same
East	On Random Between Secs. 5 & 8, T <sup>y</sup> N. R <sup>3</sup> E.

T<sub>7</sub>N R<sub>3</sub>E T<sub>2</sub>P. Mer. Indiana

40.00 Set temp<sup>y</sup>. of. Sec. post  
 80.60 Intersected the N<sup>7</sup>S. line 25 lks North of post.  
 Land and timber same as above.

---

West On true line Between Sec. 5<sup>7</sup>8, T<sub>7</sub>N R<sub>3</sub>E.  
 40.00 Set of. Sec. post at the average dist. from which  
 a B Oak 8 in. dia. bears N<sup>25</sup>E 6 lks. dist. of  
 a Do 4 " " " N<sup>36</sup>W 3 " "  
 80.60 To Section Corner

---

North Between Sec. 5<sup>7</sup>6, T<sub>7</sub>N R<sub>3</sub>E.  
 35.00 a W. Oak 30 in. dia.  
 40.00 Set of. Sec. post from which  
 a W. Oak 15 in. dia. bears S<sup>8</sup>W 13 lks. dist. of  
 a Elm 10 " " " S<sup>1</sup>E 15 " "  
 81.79 Set a post on the North boundary 6.19 lks. West of post  
 from which a W. Oak 20 in. dia. bears N<sup>50</sup>W 15 lks. dist. of  
 B. Oak 10 " " " N<sup>37</sup>E 25 " "  
 Land very hilly thin soil timber Oak & Hickory

---

West Between Sec. 6<sup>7</sup>7, T<sub>7</sub>N R<sub>3</sub>E.  
 40.00 Set of. Sec. post from which  
 a W. Oak 15 in. dia. bears S<sup>15</sup>E 7 lks. dist. of  
 a B. Oak 8 " " " N<sup>81</sup>W 22 " "  
 74.90 Intersected the West Boundary 1.37 lks. South of post  
 Set a post Corner to Sec. 6<sup>7</sup>7, from which  
 a W. Oak 15 in. dia. bears N<sup>47</sup>E 17 lks. dist. of  
 a Do 20 " " " N<sup>35</sup>W 23 " "  
 Land the same as on the last mile

---

West Between Sec. 7<sup>7</sup>18, T<sub>7</sub>N R<sub>3</sub>E.  
 40.00 Set of. Sec. post from which  
 a Sugar 8 in. dia. bears N<sup>29</sup>W 4 lks. dist. of

Ty N R 3 E. 2<sup>d</sup>. Mer. Indiana

an Ironwood 5 in. dia. bears S 32 E 11 lks. dist.  $\frac{1}{2}$   
 74 . 95 Intersected the W. boundary 130 lks. South of post.  
 Set a post a Corner to Sect. 7 & 18. from which  
 a Maple 15 in. dia. bears S 80 W 6 lks. dist.  $\frac{1}{2}$   
 a Beech 18 " " " N 62 E 18 " "  
 Land the same as on the last mile

West Between Sec. 16 & 19. Ty N R 3 E.  
 50 . 20 a W. Oak 30 in. dia.  
 40 . 00 Set of Sec. post from which  
 a W. Oak 8 in. dia. bears N 6 E 2 lks. dist.  $\frac{1}{2}$   
 a Hickory 10 " " " S 26 W 3 " "  
 75 . 75 Intersected the W. boundary 175 lks. South of post  
 Set a post Corner to Sec. 18 & 19. from which  
 a B. Oak 25 in. dia. bears N 45 E 25 lks. dist.  $\frac{1}{2}$   
 a Beech 30 " " " S 22 W 50 " "  
 Land the same as above.

West Between Sec. 19 & 30. Ty N R 3 E.  
 40 . 00 Set of Sec. post from which  
 a Ironwood 4 in. dia. bears N 48 W 11 lks. dist.  $\frac{1}{2}$   
 a Do 4 " " " S 14 W 15 " "  
 74 . 65 Intersected the W. boundary 65 lks. South of post  
 Set a post Corner to Sec. 19 & 30. from which  
 a W. Oak 12 in. dia. bears N 72 E 41 lks. dist.  $\frac{1}{2}$   
 a Do 15 " " " S 11 W 21 " "  
 Land the same as above

West Between Sec. 30 & 31. Ty N. R 3 E.  
 40 . 00 Set of Sec. post from which  
 a B. Oak 20 in. dia. bears S. 1 lks. dist.  
 74 . 00 Intersected the W. boundary 45 lks. South of post.  
 Set a post Corner to Sec. 30 & 31. from which

T7N R3E T2<sup>d</sup> Mer. Indiana

at Beech 26 in. dia. bears N50 E 24 the. dist. 8

at Sugar 12 " " " N65 41 31 " "

Land and timber as on the last mile.

Surveyed by Arthur Menrie & James Madge D.S.<sup>s</sup>

---

Comp<sup>d</sup>.

I certify that the foregoing transcript of field notes of Township N<sup>o</sup> 7 N. Range N<sup>o</sup> 3 E. T<sup>h</sup> 2<sup>d</sup> Mer. Indiana, has been Comp<sup>d</sup> with the original notes in this Office and found to be correct.

Surveyor General's Office  
Cincinnati April 29<sup>th</sup> 1844

W. P. Raines  
Sur. Genl.